

# Lecture 6

Tuesday, January 26, 2021 5:58 PM



Lecture6

Lecture 6: General Equilibrium  
Mauricio Romero

Lecture 6: General Equilibrium

- A few things I forgot to say about economies with production
- Robinson Crusoe
- Two firms
- General Economies with Many Consumers and Production

Lecture 6: General Equilibrium

- A few things I forgot to say about economies with production
- Robinson Crusoe
- Two firms
- General Economies with Many Consumers and Production

- ▶ With production Edgeworth box illustrations are no longer helpful
- ▶ Depending on the production plan, the size of the box can change
- ▶ Instead we work with what is called a production possibilities frontier

*Handwritten notes:* A red box is drawn around "Edgeworth box". To the right, a larger red box is drawn with the text "total Dependent X" written next to it.

Lecture 6: General Equilibrium

- A few things I forgot to say about economies with production
- Robinson Crusoe
- Two firms
- General Economies with Many Consumers and Production

Lecture 6: General Equilibrium

- A few things I forgot to say about economies with production
- Robinson Crusoe
- Two firms
- General Economies with Many Consumers and Production

- ▶ Imagine the problem of Robinson Crusoe, living alone in an island. He is the only producer and the only consumer

Suppose that the consumer (Robinson) has a utility function:

$$u(L, x)$$

where  $x$  are coconuts. There is one firm (Robinson) that can convert labor to coconuts:

$$f(L)$$

The endowment is  $(0, \bar{L})$   
 Casa  $\rightarrow$  Trabajo

What is the Pareto optimal allocation in this economy?

What is the Pareto optimal allocation in this economy?

$$\max_{u(L, x)} \text{ such that } \begin{cases} x \leq f(L) \\ L + \bar{L} \leq \bar{L} \end{cases} \Rightarrow \begin{cases} x = f(L) \\ L + \bar{L} = \bar{L} \end{cases} \Rightarrow U(L, f(\bar{L} - L))$$

Or equivalently

$$\frac{\partial}{\partial L} \rightarrow \frac{\partial u}{\partial L} + \frac{\partial u}{\partial x} \cdot \frac{\partial f}{\partial L} \cdot (-1) = 0$$

$$\frac{\partial u}{\partial L} = \frac{\partial u}{\partial x} \frac{\partial f}{\partial L}$$

$$MRS_{Lx} = \frac{\partial u}{\partial L} = \frac{\partial f}{\partial L} = TMT (MRT)$$

TASA MARGINAL TRANSFORMACION

Or equivalently

$$\max_{u(L, f(\bar{L} - L))}$$

We can solve this either using calculus or graphically

Using calculus...

Using calculus... This is the order condition:

$$\frac{\partial u}{\partial L}(L, f(\bar{L} - L)) - \frac{\partial u}{\partial x}(L, f(\bar{L} - L))f'(L) = 0$$

Using calculus... This is the order condition:

$$\frac{\partial u}{\partial L}(L, f(\bar{L} - L)) - \frac{\partial u}{\partial x}(L, f(\bar{L} - L))f'(\bar{L} - L) = 0$$

$$\frac{\partial u}{\partial L}(L, f(\bar{L} - L)) = \frac{\partial u}{\partial x}(L, f(\bar{L} - L))f'(\bar{L} - L)$$

$MRS_{Lx} > f' = \frac{\partial f}{\partial L}$   
 $\Rightarrow$  TRABAJO MENOS

$MRS_{Lx} < f'$   
 $\Rightarrow$  TRABAJO MAS

$MRS_{Lx} = f' \Rightarrow$  "YA NO HAY COMO RE-SOLAR"

$MRS_{Lx} = 2 > f' = 1$   
 $(\uparrow L (\downarrow L) \rightarrow \uparrow L (x \downarrow) \Rightarrow$  PEOR  
 $(\downarrow L (\uparrow L) \rightarrow \downarrow L (x \downarrow) \Rightarrow$  MEJOR

Using calculus... This is the order condition:

$$\frac{\partial u(L, f(\bar{L}-L))}{\partial L} - \frac{\partial u(L, f(\bar{L}-L))}{\partial x} f'(\bar{L}-L) = 0$$

$$\frac{\partial u(L, f(\bar{L}-L))}{\partial L} = \frac{\partial u(L, f(\bar{L}-L))}{\partial x} f'(\bar{L}-L)$$

$$\frac{\frac{\partial u(L, f(\bar{L}-L))}{\partial L}}{\frac{\partial u(L, f(\bar{L}-L))}{\partial x}} = f'(\bar{L}-L)$$

$$f'(\bar{L}-L) = \frac{\frac{\partial u(L, f(\bar{L}-L))}{\partial L}}{\frac{\partial u(L, f(\bar{L}-L))}{\partial x}} = MRS_{L,x}$$

► If Robinson gives up 1 unit of consumption in  $L$ ,  $f'(\bar{L}-L)$  describes how much more in terms of  $x$  Robinson will be able to consume

► If Robinson gives up 1 unit of consumption in  $L$ ,  $f'(\bar{L}-L)$  describes how much more in terms of  $x$  Robinson will be able to consume


► This is what is called a **Marginal Rate of Transformation** of good  $L$  to  $x$

$$f'(\bar{L}-L) = \frac{\frac{\partial u(L, f(\bar{L}-L))}{\partial L}}{\frac{\partial u(L, f(\bar{L}-L))}{\partial x}} = MRS_{L,x}$$

$$f'(\bar{L}-L) = \frac{\frac{\partial u(L, f(\bar{L}-L))}{\partial L}}{\frac{\partial u(L, f(\bar{L}-L))}{\partial x}} = MRS_{L,x}$$

$MRT_{L,x} = MRS_{L,x}$

We can solve the above graphically.



We can solve the above graphically. The set

$$\{(L, x) : x \leq f(L), L + x \leq \bar{L}\}$$

describes the possible sets of bundles that Robinson could possibly consume in this economy.

We can solve the above graphically. The set

$$\{(L, x) : x \leq f(L, x), L_x + L \leq \bar{L}\}$$

describes the possible sets of bundles that Robinson could possibly consume in this economy.  
This is called the **production possibilities set (PPS)**



Navigation icons: back, forward, search, etc.

We can solve the above graphically. The set

$$\{(L, x) : x \leq f(L, x), L_x + L \leq \bar{L}\}$$

describes the possible sets of bundles that Robinson could possibly consume in this economy.  
This is called the **production possibilities set (PPS)**  
The boundary of the PPS is the **production possibilities frontier (PPF)**



Navigation icons: back, forward, search, etc.

The frontier is basically described by the curve:

$$x = f(L_x), L_x \in [0, \bar{L}]$$



Navigation icons: back, forward, search, etc.

The frontier is basically described by the curve:

$$x = f(L_x), L_x \in [0, \bar{L}]$$

The maximization problem for finding Pareto efficient allocations simply amounts to maximizing the utility of Robinson subject to being inside this constraint set.



Navigation icons: back, forward, search, etc.

## Lecture 6: General Equilibrium

A few things I forgot to say about economies with production

**Robinson Crusoe**  
Econ 1 Intuition  
A concrete example

Two firms  
Graphical Approach  
Calculus Approach I  
Calculus Approach II  
Concrete Example

General Equilibrium with Many Consumers and Production  
Solving the Maximization Problem

Navigation icons: back, forward, search, etc.

► Recall that at a Pareto optimum, we found that we must have  $MRT_{L,x} = MRS_{L,x}$

► Suppose one is at an allocation where  $MRT_{L,x} = 2 > MRS_{L,x} = 1$

► Such an allocation cannot be a Pareto efficient allocation. Why?



Navigation icons: back, forward, search, etc.

► Recall that at a Pareto optimum, we found that we must have  $MRT_{L,x} = MRS_{L,x}$

► Suppose one is at an allocation where  $MRT_{L,x} = 2 > MRS_{L,x} = 1$

► Such an allocation cannot be a Pareto efficient allocation. Why?

► One could potentially reorganize production to get an even better outcome for the consumer



Navigation icons: back, forward, search, etc.

## Lecture 6: General Equilibrium

A few things I forgot to say about economies with production

**Robinson Crusoe**  
Econ 1 Intuition  
A concrete example

Two firms  
Graphical Approach  
Calculus Approach I  
Calculus Approach II  
Concrete Example

General Equilibrium with Many Consumers and Production  
Solving the Maximization Problem

Navigation icons: back, forward, search, etc.

Suppose that the utility function is given by:

$$u(x, y) = \sqrt{xy}$$

Suppose there are  $\omega_x$  units of  $x$  and suppose that the production is given by:

$$f_y(x) = 2\sqrt{x}$$

⏪ ⏩ ⏴ ⏵ ⏶ ⏷ ⏸ ⏹ ⏺ ⏻ ⏼ ⏽ ⏾ ⏿

Then the maximization problem for Pareto efficiency is given by:

$$\max u(x, y) \text{ such that } y \leq f_y(x'), x' + x \leq \omega_x.$$

⏪ ⏩ ⏴ ⏵ ⏶ ⏷ ⏸ ⏹ ⏺ ⏻ ⏼ ⏽ ⏾ ⏿

Then the maximization problem for Pareto efficiency is given by:

$$\max u(x, y) \text{ such that } y \leq f_y(x'), x' + x \leq \omega_x.$$

This simplifies to

$$\max u(x, f_y(\omega_x - x)).$$

⏪ ⏩ ⏴ ⏵ ⏶ ⏷ ⏸ ⏹ ⏺ ⏻ ⏼ ⏽ ⏾ ⏿

We obtain the following FOC:

$$MRS_{x,y} = \frac{\partial u(x', f_y(\omega_x - x'))}{\partial x'} = \frac{\partial u(x', f_y(\omega_x - x'))}{\partial y} = f'_y(\omega_x - x') = MRT_{x,y}.$$

⏪ ⏩ ⏴ ⏵ ⏶ ⏷ ⏸ ⏹ ⏺ ⏻ ⏼ ⏽ ⏾ ⏿

Therefore,

$$\frac{2\sqrt{\omega_x - x'}}{x'} = \frac{1}{\sqrt{\omega_x - x'}}.$$

⏪ ⏩ ⏴ ⏵ ⏶ ⏷ ⏸ ⏹ ⏺ ⏻ ⏼ ⏽ ⏾ ⏿

Therefore,

$$\frac{2\sqrt{\omega_x - x'}}{x'} = \frac{1}{\sqrt{\omega_x - x'}}.$$

This implies that

$$2(\omega_x - x') = x' \implies x' = \frac{2\omega_x}{3}, y' = 2\sqrt{\frac{\omega_x}{3}}$$

⏪ ⏩ ⏴ ⏵ ⏶ ⏷ ⏸ ⏹ ⏺ ⏻ ⏼ ⏽ ⏾ ⏿

#### Lecture 6: General Equilibrium

A few things I forgot to say about economies with production

Robinson Crusoe

Two firms

General Economies with Many Consumers and Production

⏪ ⏩ ⏴ ⏵ ⏶ ⏷ ⏸ ⏹ ⏺ ⏻ ⏼ ⏽ ⏾ ⏿

#### Lecture 6: General Equilibrium

A few things I forgot to say about economies with production

Robinson Crusoe

Two firms

General Economies with Many Consumers and Production

⏪ ⏩ ⏴ ⏵ ⏶ ⏷ ⏸ ⏹ ⏺ ⏻ ⏼ ⏽ ⏾ ⏿

- ▶ The consumer has a utility function  $u(x, y)$
- ▶ The consumer is endowed with 0 units of both  $x$  and  $y$  but  $x$  and  $y$  can be produced from labor and capital
- ▶ She is endowed with  $K$  units of capital and  $L$  units of labor
- ▶ There are two firms each of which produces a commodity  $x$  and  $y$ .
- ▶ Firm  $x$  produces  $x$  according to a production function  $f_x$  and firm  $y$  produces  $y$  according to a production function  $f_y$ .

$$f_x(l_x, k_x), f_y(l_y, k_y)$$

To solve for the Pareto efficient allocation we solve:

$$\max u(x, y) \text{ such that } \begin{cases} x \leq f_x(l_x, k_x), y \leq f_y(l_y, k_y) \\ L \geq l_x + l_y, K \geq k_x + k_y \end{cases} \text{ FACTIBLE}$$

### Lecture 6: General Equilibrium

A few things I forgot to say about economies with production

- Robinson Crusoe
- Econ 1 Intuition
- A concrete example

#### Two firms


- Graphical Approach
- Calculus Approach I
- Calculus Approach II
- Concrete Example

General Equilibrium with Many Consumers and Production  
Solving the Maximization Problem

Intuition

We look at the production possibilities set (PPS) of this economy:

$$\{(x, y) : x \leq f_x(l_x, k_x), y \leq f_y(l_y, k_y), l_x + l_y \leq L, k_x + k_y \leq K\}$$



Then given the PPS, we want to maximize the utility of the agent inside the PPS. If we want to maximize the utility of the agent, we need:

1. The chosen  $(x^*, y^*)$  must be on the PPF.
2. The indifference curve of the consumer must be tangent to the PPF at  $(x^*, y^*)$ .

### Lecture 6: General Equilibrium

A few things I forgot to say about economies with production

- Robinson Crusoe
- Econ 1 Intuition
- A concrete example


#### Two firms

- Graphical Approach
- Calculus Approach I
- Calculus Approach II
- Concrete Example

General Equilibrium with Many Consumers and Production  
Solving the Maximization Problem

To find the PPF: given that  $x$  units of commodity  $x$  must be produced, what is the maximum amount of  $y$ 's that can be produced?

MAX  $y$  s.t. FACTIBLE  
Production  $x = x'$



To find the PPF: given that  $x$  units of commodity  $x$  must be produced, what is the maximum amount of  $y$ 's that can be produced? Thus

$$PPF(x) = \max_{l_x, k_x} f_y(l_y, k_y) \text{ such that } \begin{cases} x = f_x(l_x, k_x) \\ l_x + l_y = L \\ k_x + k_y = K \end{cases}$$

$$\begin{aligned} Lx + Ly = L &\Rightarrow Lx = L - Ly \\ Kx + Ky = K &\Rightarrow Kx = K - Ky \end{aligned}$$

$$\mathcal{L} = f_y(l_y, k_y) + \lambda (x - f_x(L - l_y, K - k_y))$$

Setting up the Lagrangian we get:

$$\max_{l, k} f_l(l, k) + \lambda(f_l(l, k) - x)$$

The first order conditions give us:

$$\frac{\partial f_l}{\partial l}(l^*, k^*) - \lambda \frac{\partial f_l}{\partial l}(l^*, k^*) = 0$$

$$\frac{\partial f_l}{\partial k}(l^*, k^*) - \lambda \frac{\partial f_l}{\partial k}(l^*, k^*) = 0$$

The first order conditions give us:

$$\frac{\partial f_l}{\partial l}(l^*, k^*) - \lambda \frac{\partial f_l}{\partial l}(l^*, k^*) = 0$$

$$\frac{\partial f_l}{\partial k}(l^*, k^*) - \lambda \frac{\partial f_l}{\partial k}(l^*, k^*) = 0$$

$$\frac{\partial f_l}{\partial l}(l^*, k^*) = \lambda \frac{\partial f_l}{\partial l}(l^*, k^*) \rightarrow \lambda = \frac{\partial y / \partial l}{\partial x / \partial l}$$

$$\frac{\partial f_l}{\partial k}(l^*, k^*) = \lambda \frac{\partial f_l}{\partial k}(l^*, k^*) \rightarrow \lambda = \frac{\partial y / \partial k}{\partial x / \partial k}$$

Thus at the optimum, we have:

TASA MARGINAL  
SUSTITUCIÓN  
TECNICA  
= TRST<sub>l,k</sub>

$$\frac{\partial f_l}{\partial l}(l^*, k^*) = \frac{\partial f_l}{\partial k}(l^*, k^*) = TRST_{l,k}$$

$$Z = TRST_{l,k} > TRST_{l,k} = 1$$

y: ↑ l, ↑ k ⇒ Prod ↑  
x: ↓ l, ↓ k ⇒ Prod ↓




→ UNIDADES CAPITAL  
TRABAJO

► To actually solve for the optimal  $x^*$  and  $y^*$  we plug this back into the constraint

$$x = f_l(l^*, k^*)$$

► Therefore at a Pareto optimum we must have  $TRST_{l,k} = TRST_{x,y}$  equalized

► You should be able to come up with the Econ 1 intuition for this as we have done previously



► A Pareto optimum also requires bullet point 2 above (i.e., indifference curve is tangent to PPF)

► The slope of the indifference curve is given by:

$$-MRS_{x,y} = \frac{\partial f_l(x^*, y^*)}{\partial x(x^*, y^*)}$$

→ UNIDADES  $\frac{Y}{X}$

► What is the slope of the PPF?



► Note that mathematically, this is given by  $PPF'(x)$

► How do we calculate that?

$$PPF(x) = \max_{l, k} f_l(l, k) + \lambda(f_l(l, k) - x)$$


► By the envelope theorem

$$PPF'(x) =$$

$$= \frac{\partial f_l(l^*, k^*)}{\partial x(l^*, k^*)}$$

$$= \frac{\partial f_l(l^*, k^*)}{\partial x(l^*, k^*)} = \frac{Y/K}{X/K} = \frac{Y}{X}$$

→ UNIDADES  $\frac{Y}{X}$   
→ TASA MARGINAL DE TRAZOS FORMACIÓN



► Note that mathematically, this is given by  $PPF'(x)$

► How do we calculate that?

$$PPF(x) = \max_{l, k} f_l(l, k) + \lambda(f_l(l, k) - x)$$

► By the envelope theorem

$$PPF'(x) =$$

$$= -\lambda$$

$$= -\frac{\partial f_l(l^*, k^*)}{\partial x(l^*, k^*)}$$

$$= -\frac{\partial f_l(l^*, k^*)}{\partial x(l^*, k^*)} = -MRT_{x,y}$$

► Therefore, at a Pareto optimum

$$MRT_{x,y} = MRS_{x,y}$$

→  $TMT_{x,y} > TRS_{x,y} = 1$   
→ Prod ↓ l, ↑ k  
→ Consumo: ↓ l, ↑ k ⇒ ↑ U

Therefore, at a Pareto optimum  $MRT_{x,y} = MRS_{x,y}$

Prods:  $\downarrow Y, \uparrow X$   
 Consumo:  $\downarrow Y, \uparrow X \Rightarrow \uparrow U$

Thus we have learned the following: A Pareto efficient allocation is characterized by two conditions:

- $(x^*, y^*)$  is on the PPF:  $MRS_{x,y}^A = MRS_{x,y}^B$  → TASA TRANSFORMACION TECNICA
- At  $(x^*, y^*)$  the indifference curve is tangent to the PPF:  $MRS_{x,y} = MRT_{x,y}$  → TASA TRANSFORMACION TRANSACCION

Lecture 6: General Equilibrium

A few things I forgot to say about economies with production

Robinson Crusoe  
 Econ 1 Intuition  
 A concrete example

Two firms  
 Graphical Approach  
 Calculus Approach I  
Calculus Approach II  
 Numerical Example

General Economies with Many Consumers and Production  
 Solving the Maximization Problem

We solve directly the original maximization problem

$$\max_{x,y} u(x,y) \text{ such that } x \leq f_x(l_x, k_x), y \leq f_y(l_y, k_y),$$

$$L \geq l_x + l_y, K \geq k_x + k_y$$

$x = f_x(l_x, k_x)$   
 $y = f_y(l_y, k_y)$   
 $L = l_x + l_y$   
 $K = k_x + k_y$

$x = f_x(l_x, k_x)$   
 $y = f_y(L - l_x, K - k_x)$

We can simplify the problem:

$$\max_{l_x, k_x} u(f_x(l_x, k_x), f_y(L - l_x, K - k_x))$$

Then the first order conditions give us:

$$\frac{\partial u}{\partial x} (f_x(l_x, k_x), f_y(L - l_x, K - k_x)) - c_1 = 0$$

$$\frac{\partial u}{\partial y} (f_x(l_x, k_x), f_y(L - l_x, K - k_x)) - c_2 = 0$$

$$\frac{\partial u}{\partial l_x} (f_x(l_x, k_x), f_y(L - l_x, K - k_x)) - c_1 f_{l_x}^x - c_2 f_{l_x}^y = 0$$

$$\frac{\partial u}{\partial k_x} (f_x(l_x, k_x), f_y(L - l_x, K - k_x)) - c_1 f_{k_x}^x - c_2 f_{k_x}^y = 0$$

Then the first order conditions give us:

$$\frac{\partial u}{\partial x} (f_x(l_x, k_x), f_y(L - l_x, K - k_x)) - c_1 = 0$$

$$\frac{\partial u}{\partial y} (f_x(l_x, k_x), f_y(L - l_x, K - k_x)) - c_2 = 0$$

$$\frac{\partial u}{\partial l_x} (f_x(l_x, k_x), f_y(L - l_x, K - k_x)) - c_1 f_{l_x}^x - c_2 f_{l_x}^y = 0$$

$$\frac{\partial u}{\partial k_x} (f_x(l_x, k_x), f_y(L - l_x, K - k_x)) - c_1 f_{k_x}^x - c_2 f_{k_x}^y = 0$$

$\rightarrow TMS_{x,y} = \frac{\frac{\partial u}{\partial x}}{\frac{\partial u}{\partial y}} = \frac{\frac{\partial f_x / \partial l_x}{\partial f_x / \partial k_x}}{\frac{\partial f_y / \partial l_x}{\partial f_y / \partial k_x}} = TMS_{l_x, k_x}^x$

We obtain:

$$TMS_{x,y}^A = TMS_{x,y}^B$$

$$MRS_{x,y} = MRT_{x,y}$$



Lecture 6: General Equilibrium

A few things I forgot to say about economies with production

Robinson Crusoe  
Econ 1 Intuition  
A concrete example

Two firms

Graphical Approach  
Calculus Approach I  
Calculus Approach II  
Concrete Example

General Equilibrium with Many Consumers and Production  
Solving the Maximization Problem

Suppose that the utility function are given by:

$$u(x, y) = \sqrt{xy}$$

and suppose that the production functions are given by:

$$f_1(\ell_1, k_1) = \sqrt{\ell_1 k_1}, f_2(\ell_2, k_2) = \sqrt{\ell_2 k_2}$$

$L, K.$

Then Pareto efficiency involves solving the following maximization problem:

$$\max \sqrt{xy} \text{ such that } x = f_1(\ell_1, k_1), y = f_2(\ell_2, k_2)$$

Approach 1: First lets characterize the PPF.

$$PPF(x) = \max_{\ell_1, \ell_2, k_1, k_2} f_1(\ell_1, k_1) \text{ such that } f_2(\ell_2, k_2) = x$$

$$\begin{aligned} \ell_1 + \ell_2 &= L \\ k_1 + k_2 &= K \end{aligned}$$

By the first order condition, we need:

$$\frac{k_1}{\ell_1} \frac{\partial f_1(\ell_1, k_1)}{\partial \ell_1} = \frac{\partial f_1(\ell_1, k_1)}{\partial k_1} = \frac{\partial f_2(\ell_2, k_2)}{\partial \ell_2} = \frac{\partial f_2(\ell_2, k_2)}{\partial k_2} = \frac{K - k_1}{L - \ell_1} = \frac{K - k_1}{L - \ell_1} \implies k_1 = \frac{K}{L} \ell_1$$

Plug this back into the constraint:

$$f_1(\ell_1, k_1) = x \implies \sqrt{\ell_1 k_1} = x \implies \ell_1 = \frac{x^2}{k_1}$$

Therefore

$$\begin{aligned} f_1(L - \ell_1, K - k_1) &= y \\ \sqrt{(L - \frac{x^2}{k_1})(K - \frac{K}{L} \frac{x^2}{k_1})} &= y \\ PPF(x) &= \sqrt{KL - x^2} \end{aligned}$$

$y = \sqrt{KL - x^2}$

MAX U s.a PPF

Then we need to maximize the following:

$$\begin{aligned} \max_{x,y} \sqrt{xy} \text{ such that } y &= \sqrt{KL - x^2} \\ \mathcal{L} &= \sqrt{xy} + \lambda (y - \sqrt{KL - x^2}) \\ \frac{\partial \mathcal{L}}{\partial x} &= \frac{1}{2} \frac{y}{x} - \lambda = 0 \\ \frac{\partial \mathcal{L}}{\partial y} &= \frac{1}{2} \frac{x}{y} + \lambda = 0 \end{aligned}$$

$y = \sqrt{KL - x^2}$

Handwritten derivations:

$$\mathcal{L} = f_x(L - \ell_x, K - k_x) + \lambda (x - f_x(\ell_x, k_x))$$

$$\frac{\partial \mathcal{L}}{\partial \ell_x} = \frac{1}{2} \frac{(K - k_x)^{1/2}}{(L - \ell_x)^{1/2}} (-1) - \lambda \frac{1}{2} \frac{k_x^{1/2}}{\ell_x^{1/2}} = 0$$

$$\frac{\partial \mathcal{L}}{\partial k_x} = \frac{1}{2} \frac{(L - \ell_x)^{1/2}}{(K - k_x)^{1/2}} (-1) - \lambda \frac{1}{2} \frac{\ell_x^{1/2}}{k_x^{1/2}} = 0$$

$\Downarrow$

$$\frac{K - k_x}{L - \ell_x} = \frac{k_x}{\ell_x}$$

$$K \ell_x - k_x \ell_x = k_x L - k_x \ell_x$$

$$K \ell_x = k_x L$$

$$\ell_x = k_x \frac{L}{K}$$

$$x = \sqrt{\ell_x k_x} = \sqrt{k_x^2 \frac{L}{K}} = k_x \sqrt{\frac{L}{K}}$$

$$k_x = x \sqrt{\frac{K}{L}}$$

$$\ell_x = x \sqrt{\frac{L}{K}}$$

$$y = (L - \ell_x)^{1/2} (K - k_x)^{1/2}$$

$$\frac{\partial \mathcal{L}}{\partial x} = \frac{1}{2} \frac{1}{\sqrt{x}} + \lambda = 0$$

$$\frac{\partial \mathcal{L}}{\partial y} = \frac{1}{2} \frac{1}{\sqrt{y}} + \lambda = 0$$

$$\frac{y}{x} = 1 \Rightarrow x = y$$

$$y = \sqrt{K} - x$$

$$2y = \sqrt{K}$$

$$y = \frac{1}{2} \sqrt{K} = x$$

$$y = (L - L_x)^{1/2} (K - K_x)^{1/2}$$

$$y = \left( L - x \sqrt{\frac{L}{K}} \right)^{1/2} \left( K - x \sqrt{\frac{K}{L}} \right)^{1/2}$$

The Pareto efficient allocation is given by:

$$(x^* = y^* = \frac{1}{2} \sqrt{KL}, L_x^* = L_x^* = \frac{1}{2} L, K_x^* = K_x^* = \frac{1}{2} K)$$


Lecture 6: General Equilibrium

A few things I forgot to say about economies with production

Robinson Crusoe

Two firms

General Economies with Many Consumers and Production



Lecture 6: General Equilibrium

A few things I forgot to say about economies with production

Robinson Crusoe

Two firms

General Economies with Many Consumers and Production

The set of Pareto efficient allocations will be characterized by the following maximization problem:

$$\max_{\{x_i^j, z_i^j\}} u(x_1^1, \dots, x_n^1, \dots, x_1^I, \dots, x_n^I) \quad \text{FACTIBLE}(L)$$

Lecture 6: General Equilibrium

A few things I forgot to say about economies with production

Robinson Crusoe

Eaton 1: Intuition

A concrete example

Two firms

Graphical Approach

Calculus Approach I

Calculus Approach II

Concrete Example

General Economies with Many Consumers and Production

Solving the Maximization Problem

CoP<sub>2</sub>

EGO

**Theorem**  
Suppose that utility functions are strictly monotone, differentiable, and quasiconcave. Suppose also that  $(x, z)$  is an interior allocation. Then  $(x, z)$  is Pareto efficient if and only if all of the following

- For every  $i \neq i'$ , marginal rates of substitution of any pair of commodities are equalized across consumers:  

$$\frac{\partial u_i(x_i, z_i)}{\partial x_i^a} = \frac{\partial u_i(x_i, z_i)}{\partial x_i^b} = \dots = \frac{\partial u_{i'}(x_{i'}, z_{i'})}{\partial x_{i'}^a} = \frac{\partial u_{i'}(x_{i'}, z_{i'})}{\partial x_{i'}^b} = \dots = \text{MRS}_{e, e'}^i = \text{MRS}_{e, e'}^{i'} = \dots = \text{MRS}_{e, e'}^I$$
- For every  $i \neq i'$ , technical rates of substitution of inputs  $l$  and  $l'$  are equalized across firms:  

$$\frac{\partial f_i(l, k)}{\partial l} = \frac{\partial f_i(l, k)}{\partial k} = \dots = \frac{\partial f_{i'}(l, k)}{\partial l} = \frac{\partial f_{i'}(l, k)}{\partial k} = \dots = \text{TMS}_{l, l'}^i = \text{TMS}_{l, l'}^{i'} = \dots = \text{TMS}_{l, l'}^I$$
- For every  $i \neq i'$ , the marginal rates of transformation is equal to the marginal rates of substitution:  

$$\frac{\partial f_i(l, k)}{\partial l} = \frac{\partial f_i(l, k)}{\partial k} = \dots = \frac{\partial f_{i'}(l, k)}{\partial l} = \frac{\partial f_{i'}(l, k)}{\partial k} = \dots = \text{MRS}_{e, e'}^i = \text{MRS}_{e, e'}^{i'} = \dots = \text{MRS}_{e, e'}^I$$

~~MRS<sub>a,b</sub><sup>i</sup> = MRS<sub>c,d</sub><sup>i</sup>~~

~~TMS<sub>l,l'</sub><sup>i</sup> = TMS<sub>l,l'</sub><sup>i'</sup>~~

MRS<sub>e, e'</sub><sup>i</sup> = TMS<sub>l, l'</sub><sup>i</sup>

TAMBIEN  
COMPLE  
1, 2, 3  
POR I<sup>er</sup>  
TEO. BIENESTAR.