



Lecture12...

Lecture 12: Game Theory // Nash equilibrium

Mauricio Romero

Lecture 12: Game Theory // Nash equilibrium

- Dominance
- Nash equilibrium
- Some examples
- Relationship to dominance
- Examples

Lecture 12: Game Theory // Nash equilibrium

- Dominance
- Nash equilibrium
- Some examples
- Relationship to dominance
- Examples

Beauty contest

- Consider the following game among 100 people: Each individual selects a number,  $s_i$ , between 20 and 60.
- Let  $s_{-i}$  be the average of the number selected by the other 99 people. i.e.  $s_{-i} = \frac{1}{99} \sum_{j \neq i} s_j$
- The utility function of the individual  $i$  is  $u_i(s_i, s_{-i}) = 100 - (s_i - \frac{3}{2}s_{-i})^2$

$$\frac{dU}{ds_i} = -2(s_i - \frac{3}{2}s_{-i})(1) = 0$$

$$s_i = \frac{3}{2}s_{-i}$$

$s_i \in [20, 60]$   
 $s_{-i} \in [20, 60]$   
 $\frac{3}{2}s_{-i} \in [30, 90]$   
 $s_i = 30$  DOMINA (ESTRICTAMENTE)  
 $s_i \in [30, 30]$

Beauty contest

- Each individual maximizes his utility. FOC:  $-2(s_i - \frac{3}{2}s_{-i}) = 0$

Round 2  
 $s_{-i} \in [30, 60]$   
 $\frac{3}{2}s_{-i} \in [45, 90]$   
 $s_i = 45$  DOMINA  $s_i \in [30, 45]$

Beauty contest

- Each individual maximizes his utility. FOC:  $-2(s_i - \frac{3}{2}s_{-i}) = 0$
- Individuals would prefer to select a number that is exactly equal to 1.5 times the average of the others
- That is they would like to choose  $s_i = \frac{3}{2}s_{-i}$

Round 3  
 $s_{-i} \in [45, 60]$   
 $\frac{3}{2}s_{-i} \in [67.5, 90]$   
 $s_i = 60$  DOMINA  $s_i \in [45, 60]$   
 $\Rightarrow (60, \dots, 60)$   
 100 Veces

Beauty contest

- Each individual maximizes his utility. FOC:  $-2(s_i - \frac{3}{2}s_{-i}) = 0$
- Individuals would prefer to select a number that is exactly equal to 1.5 times the average of the others
- That is they would like to choose  $s_i = \frac{3}{2}s_{-i}$

Beauty contest

- Each individual maximizes his utility. FOC:  $-2(s_i - \frac{3}{2}s_{-i}) = 0$
- Individuals would prefer to select a number that is exactly equal to 1.5 times the average of the others
- That is they would like to choose  $s_i = \frac{3}{2}s_{-i}$
- but  $s_{-i} \in [20, 60]$

Beauty contest

- Each individual maximizes his utility. FOC:  $-2(s_i - \frac{3}{2}s_{-i}) = 0$
- Individuals would prefer to select a number that is exactly equal to 1.5 times the average of the others
- That is they would like to choose  $s_i = \frac{3}{2}s_{-i}$
- but  $s_{-i} \in [20, 60]$
- Therefore  $s_i = 20$  is dominated by  $s_i = 30$

Beauty contest

- The same goes for any number between 20 (inclusive) and 30 (not included)

Beauty contest

- The same goes for any number between 20 (inclusive) and 30 (not included)
- Knowing this, all individuals believe that everyone else will select a number between 30 and 60 (i.e.,  $a_i \in [30, 60]$ )

Beauty contest

- The same goes for any number between 20 (inclusive) and 30 (not included)
- Knowing this, all individuals believe that everyone else will select a number between 30 and 60 (i.e.,  $a_i \in [30, 60]$ )
- Playing a number between 30 and 45 (not including) would be strictly dominated by playing 45

Beauty contest

- The same goes for any number between 20 (inclusive) and 30 (not included)
- Knowing this, all individuals believe that everyone else will select a number between 30 and 60 (i.e.,  $a_i \in [30, 60]$ )
- Playing a number between 30 and 45 (not including) would be strictly dominated by playing 45
- Knowing this, all individuals believe that everyone else will select a number between 45 and 60 (i.e.,  $a_i \in [45, 60]$ )

Beauty contest

- The same goes for any number between 20 (inclusive) and 30 (not included)
- Knowing this, all individuals believe that everyone else will select a number between 30 and 60 (i.e.,  $a_i \in [30, 60]$ )
- Playing a number between 30 and 45 (not including) would be strictly dominated by playing 45
- Knowing this, all individuals believe that everyone else will select a number between 45 and 60 (i.e.,  $a_i \in [45, 60]$ )
- 60 would dominate any other selection and therefore all the players select 60.

Beauty contest

- The same goes for any number between 20 (inclusive) and 30 (not included)
- Knowing this, all individuals believe that everyone else will select a number between 30 and 60 (i.e.,  $a_i \in [30, 60]$ )
- Playing a number between 30 and 45 (not including) would be strictly dominated by playing 45
- Knowing this, all individuals believe that everyone else will select a number between 45 and 60 (i.e.,  $a_i \in [45, 60]$ )
- 60 would dominate any other selection and therefore all the players select 60.
- The solution by means of iterated elimination of dominated strategies is (60, 60, ..., 60)

Lecture 12: Game Theory // Nash equilibrium

Dominance

Weakly dominated strategies

Nash equilibrium

Some examples

Relationship to dominance

Examples

- Cournot Competition
- Cartels

	a	b
A	3, 4	4, 3
B	5, 3	3, 5
C	5, 3	4, 3

There is no strictly dominated strategy

Handwritten notes:  $C \succ A$ ,  $C \succ B$ ,  $A \succ B$ ,  $B \succ A$ ,  $(C, b)$ ,  $(C, a)$

	a	b
A	3, 4	4, 3
B	5, 3	3, 5
C	5, 3	4, 3

There is no strictly dominated strategy

However, C always gives at least the same utility to player 1 as B

	a	b
A	3, 4	4, 3
B	5, 3	3, 5
C	5, 3	4, 3

There is no strictly dominated strategy

However, C always gives at least the same utility to player 1 as B

It's tempting to think player 1 would never play C

	a	b
A	3, 4	4, 3
B	5, 3	3, 5
C	5, 3	4, 3

- ▶ There is no strictly dominated strategy
- ▶ However, C always gives at least the same utility to player 1 as B
- ▶ It's tempting to think player 1 would never play C
- ▶ However, if player 1 is sure that player two is going to play a he would be completely indifferent between playing B or C

1 2 3 4 5 6 7 8 9 10

#### Definition

$s_i$  weakly dominates  $s'_i$  if for all opponent pure strategy profiles,  $s_{-i} \in S_{-i}$ ,

$$u(s_i, s_{-i}) \geq u(s'_i, s_{-i})$$

and there is at least one opponent strategy profile  $s^*_{-i} \in S_{-i}$  for which

$$u(s_i, s^*_{-i}) > u(s'_i, s^*_{-i}).$$

1 2 3 4 5 6 7 8 9 10

- ▶ Given the assumptions we have, we can not eliminate a weakly dominated strategy

1 2 3 4 5 6 7 8 9 10

- ▶ Given the assumptions we have, we can not eliminate a weakly dominated strategy
- ▶ Rationality is not enough

1 2 3 4 5 6 7 8 9 10

- ▶ Given the assumptions we have, we can not eliminate a weakly dominated strategy
- ▶ Rationality is not enough
- ▶ Even so, it sounds "logical" to do so and has the potential to greatly simplify a game

1 2 3 4 5 6 7 8 9 10

- ▶ Given the assumptions we have, we can not eliminate a weakly dominated strategy
- ▶ Rationality is not enough
- ▶ Even so, it sounds "logical" to do so and has the potential to greatly simplify a game
- ▶ There is a problem, and that is that the order in which we eliminate the strategies matters

1 2 3 4 5 6 7 8 9 10

	a	b
A	3, 4	4, 3
B	5, 3	3, 5
C	5, 3	4, 3

- ▶ If we eliminate B (C dominates weakly), then a weakly dominates B and we can eliminate B and therefore player 1 would never play A. This leads to the result (C, a).

1 2 3 4 5 6 7 8 9 10

	a	b
A	3, 4	4, 3
B	5, 3	3, 5
C	5, 3	4, 3

- ▶ If we eliminate B (C dominates weakly), then a weakly dominates B and we can eliminate B and therefore player 1 would never play A. This leads to the result (C, a).
- ▶ If on the other hand, we notice that A is also weakly dominated by C then we can eliminate A in the first round, and this would eliminate a in the second round and therefore B would be eliminated. This would result in (C, B).

1 2 3 4 5 6 7 8 9 10

## Lecture 12: Game Theory // Nash equilibrium

### Dominance

### Nash equilibrium

### Some examples

### Relationship to dominance

### Examples

1 2 3 4 5 6 7 8 9 10

## Lecture 12: Game Theory // Nash equilibrium

### Dominance

### Nash equilibrium

### Some examples

### Relationship to dominance

### Examples

1 2 3 4 5 6 7 8 9 10



Lecture 12: Game Theory // Nash equilibrium

Dominance  
Nash equilibrium  
Some examples  
Relationship to dominance  
Examples

Lecture 12: Game Theory // Nash equilibrium

Dominance  
Nash equilibrium  
Some examples  
Relationship to dominance  
Examples

Beauty contest

► Consider the following game among 2 people. Each individual selects a number,  $s_i$ , between 20 and 60.

Beauty contest

► Consider the following game among 2 people. Each individual selects a number,  $s_i$ , between 20 and 60.

► Let  $s_{-i}$  be the number selected by the other individual.

Beauty contest

► Consider the following game among 2 people. Each individual selects a number,  $s_i$ , between 20 and 60.

► Let  $s_{-i}$  be the number selected by the other individual.

► The utility function of the individual  $i$  is  $u_i(s_i, s_{-i}) = 100 - (s_i - \frac{2}{3}s_{-i})^2$

Beauty contest

The best response of an individual is given by

$$s_i(s_{-i}) = \begin{cases} \frac{2}{3}s_{-i} & \text{if } s_{-i} \leq 40 \\ 60 & \text{if } s_{-i} > 40 \end{cases}$$

The Nash equilibrium is where both BR functions intersect (i.e. when both play 60)


Handwritten notes:

$$\frac{\partial u_i(s_i, s_{-i})}{\partial s_i} \rightarrow 2(s_i - \frac{2}{3}s_{-i}) = 0$$

$$s_i = \frac{2}{3}s_{-i} \rightarrow MR_i(s_{-i}) = \frac{2}{3}s_{-i}$$

$$\frac{2}{3}s_{-i} \leq 60 \rightarrow s_{-i} \leq 60$$

$$60 < \frac{2}{3}s_{-i} \rightarrow s_{-i} > 60$$



Handwritten Best Response Functions:

$$MR_1(s_2) = \begin{cases} \frac{2}{3}s_2 & \text{if } s_2 \leq 40 \\ 60 & \text{if } s_2 > 40 \end{cases}$$

$$MR_2(s_1) = \begin{cases} \frac{2}{3}s_1 & \text{if } s_1 \leq 40 \\ 60 & \text{if } s_1 > 40 \end{cases}$$

Prisoner's dilemma

	C	NC
C	5,5	0,10
NC	10,0	2,2

Handwritten notes:

$$MR_1(s_2) = \begin{cases} NC & s_2 = C \\ NC & s_2 = NC \end{cases}$$

$$MR_2(s_1) = \begin{cases} NC & s_1 = C \\ NC & s_1 = NC \end{cases}$$

$$EN = (NC, NC)$$

Prisoner's dilemma

	C	NC
C	5,5	0,10
NC	10,0	2,2

The best response functions are:

$$BR_i(s_{-i}) = \begin{cases} NC & \text{if } s_{-i} = C \\ NC & \text{if } s_{-i} = NC \end{cases}$$

The Nash equilibrium is where both BR functions intersect (i.e. when both play NC, i.e. (NC, NC))

Prisoner's dilemma - A trick

	C	NC
C	5,5	0,10
NC	10,0	3,3

Best response of 1 to 2 playing C

	C	NC
C	5,5	0,10
NC	10,0	2,2

Prisoner's dilemma - A trick

Best response of 1 to 2 playing NC

	C	NC
C	5,5	0,10
NC	10,0	2,2

Handwritten Nash Equilibrium:

$$EN = (60, 60)$$

Handwritten payoff matrix for Prisoner's Dilemma - A trick:

	C	NC
C	5,5	0,10
NC	10,0	3,3

Prisoner's dilemma – A trick

Best response of 2 to 1 playing C

	C	NC
C	5,5	0,10
NC	10,0	2,2

Prisoner's dilemma – A trick

Best response of 2 to 1 playing NC

	C	NC
C	5,5	0,10
NC	10,0	2,2

When underlined for both players, it is a Nash equilibrium (both are doing their BR)

Battle of the sexes

52

	G	P
G	2,1	0,0
P	0,0	1,2

EN = (GG), (PP)

Battle of the sexes

	G	P
G	2,1	0,0
P	0,0	1,2

BR( $s_i$ ) =  $\begin{cases} G & \text{if } s_{-i} = G \\ P & \text{if } s_{-i} = P \end{cases}$

Battle of the sexes

	G	P
G	2,1	0,0
P	0,0	1,2

BR( $s_i$ ) =  $\begin{cases} G & \text{if } s_{-i} = G \\ P & \text{if } s_{-i} = P \end{cases}$

Then, (G, G) y (P, P) are both Nash equilibrium

Matching pennies (Pares o Nones) – Simultaneous

	1	2
1	(1000, 1000)	(-1000, 1000)
2	(-1000, 1000)	(1000, -1000)

Matching pennies (Pares o Nones) – Simultaneous

	1	2
1	(1000, 1000)	(-1000, 1000)
2	(-1000, 1000)	(1000, -1000)

Matching pennies (Pares o Nones) – Simultaneous

	1	2
1	(1000, 1000)	(-1000, 1000)
2	(-1000, 1000)	(1000, -1000)

BR<sub>1</sub>( $s_2$ ) =  $\begin{cases} 1 & \text{if } s_2 = 1 \\ 2 & \text{if } s_2 = 2 \end{cases}$

BR<sub>2</sub>( $s_1$ ) =  $\begin{cases} 2 & \text{if } s_1 = 1 \\ 1 & \text{if } s_1 = 2 \end{cases}$

There is no Nash equilibrium in pure strategies

Lecture 12: Game Theory // Nash equilibrium

Dominance

Nash equilibrium

Some examples

Relationship to dominance

Examples

Lecture 12: Game Theory // Nash equilibrium

Dominance

Nash equilibrium

Some examples

Relationship to dominance

Examples

Nash equilibrium survive IDSDS

**Theorem**  
Every Nash equilibrium survives the iterative elimination of strictly dominated strategies

**Proof**  
By contradiction:  

- Suppose it is not true

**Proof**  
By contradiction:  

- Suppose it is not true
- Then we must have eliminated some strategy in the Nash equilibrium  $s^*$

**Proof**  
By contradiction:  

- Suppose it is not true
- Then we must have eliminated some strategy in the Nash equilibrium  $s^*$
- Lets zoom in in the round where we first eliminate a strategy that is part of  $s^*$

**Proof**  
By contradiction:  

- Suppose it is not true
- Then we must have eliminated some strategy in the Nash equilibrium  $s^*$
- Lets zoom in in the round where we first eliminate a strategy that is part of  $s^*$
- Without loss of generality say we eliminated the strategy  $s_i^*$  of individual  $i$

**Proof**  
By contradiction:  

- Suppose it is not true
- Then we must have eliminated some strategy in the Nash equilibrium  $s^*$
- Lets zoom in in the round where we first eliminate a strategy that is part of  $s^*$
- Without loss of generality say we eliminated the strategy  $s_i^*$  of individual  $i$
- It must have been that

$$u_i(s_i^*, s_{-i}) < u_i(s_i, s_{-i}) \forall s_{-i} \in S_{-i}$$

**Proof**  
By contradiction:  

- Suppose it is not true
- Then we must have eliminated some strategy in the Nash equilibrium  $s^*$
- Lets zoom in in the round where we first eliminate a strategy that is part of  $s^*$
- Without loss of generality say we eliminated the strategy  $s_i^*$  of individual  $i$
- It must have been that

$$u_i(s_i^*, s_{-i}) < u_i(s_i, s_{-i}) \forall s_{-i} \in S_{-i}$$

- In particular

$$u_i(s_i^*, s_i) < u_i(s_i, s_i)$$

**Proof**  
By contradiction:  

- Suppose it is not true
- Then we must have eliminated some strategy in the Nash equilibrium  $s^*$
- Lets zoom in in the round where we first eliminate a strategy that is part of  $s^*$
- Without loss of generality say we eliminated the strategy  $s_i^*$  of individual  $i$
- It must have been that

$$u_i(s_i^*, s_{-i}) < u_i(s_i, s_{-i}) \forall s_{-i} \in S_{-i}$$

- In particular

$$u_i(s_i^*, s_i) < u_i(s_i, s_i)$$

- But this means  $s_i^*$  is not the best response of individual  $i$  to  $s_{-i}$

**Proof**  
By contradiction:  

- Suppose it is not true
- Then we must have eliminated some strategy in the Nash equilibrium  $s^*$
- Lets zoom in in the round where we first eliminate a strategy that is part of  $s^*$
- Without loss of generality say we eliminated the strategy  $s_i^*$  of individual  $i$
- It must have been that

$$u_i(s_i^*, s_{-i}) < u_i(s_i, s_{-i}) \forall s_{-i} \in S_{-i}$$

- In particular

$$u_i(s_i^*, s_i) < u_i(s_i, s_i)$$

- But this means  $s_i^*$  is not the best response of individual  $i$  to  $s_{-i}$
- And this is a contradiction!

Nash equilibrium survive IDSDS

**Theorem**  
If the process of IDSDS comes to a single solution, that solution is a Nash Equilibrium and is unique.

Proof

First let's proof its a Nash Equilibrium. The fact that is unique is trivial by the previous theorem.

Proof:

By contradiction:

- Suppose that the results from IJSDS ( $s^*$ ) is not a Nash Equilibrium

□

Proof

First let's proof its a Nash Equilibrium. The fact that is unique is trivial by the previous theorem.

Proof:

By contradiction:

- Suppose that the results from IJSDS ( $s^*$ ) is not a Nash Equilibrium
- For some individual  $i$  there exists  $s_i$  such that
 
$$u_i(s_i, s_{-i}^*) > u_i(s_i^*, s_{-i}^*)$$

□

Proof

First let's proof its a Nash Equilibrium. The fact that is unique is trivial by the previous theorem.

Proof:

By contradiction:

- Suppose that the results from IJSDS ( $s^*$ ) is not a Nash Equilibrium
- For some individual  $i$  there exists  $s_i$  such that
 
$$u_i(s_i, s_{-i}^*) > u_i(s_i^*, s_{-i}^*)$$
- But then  $s_i$  could not have been eliminated

□

Proof

First let's proof its a Nash Equilibrium. The fact that is unique is trivial by the previous theorem.

Proof:

By contradiction:

- Suppose that the results from IJSDS ( $s^*$ ) is not a Nash Equilibrium
- For some individual  $i$  there exists  $s_i$  such that
 
$$u_i(s_i, s_{-i}^*) > u_i(s_i^*, s_{-i}^*)$$
- But then  $s_i$  could not have been eliminated
- And this is a contradiction!

□

Lecture 12: Game Theory // Nash equilibrium

- Dominance
- Nash equilibrium
- Some examples
- Relationship to dominance
- Examples

Lecture 12: Game Theory // Nash equilibrium

- Dominance
- Nash equilibrium
- Some examples
- Relationship to dominance
- Examples

Lecture 12: Game Theory // Nash equilibrium

- Dominance
- Weakly dominated strategies
- Nash equilibrium
- Some examples
- Relationship to dominance
- Examples
  - Cournot Competition

Cournot Competition

- We will apply the concept of pure Nash equilibrium to analyze oligopoly markets

Cournot Competition

- We will apply the concept of pure Nash equilibrium to analyze oligopoly markets
- Suppose that there are two firms that produce the same product have zero marginal cost of production.

Cournot Competition

- We will apply the concept of pure Nash equilibrium to analyze oligopoly markets
- Suppose that there are two firms that produce the same product have zero marginal cost of production.
- If firm 1 and 2 produce  $q_1$  and  $q_2$  units of the commodity respectively, the inverse demand function is given by:
 
$$P(Q) = 120 - Q, \quad Q = q_1 + q_2.$$



**Cournot Competition**

- We will apply the concept of pure Nash equilibrium to analyze oligopoly markets
- Suppose that there are two firms that produce the same product have zero marginal cost of production.
- If firm 1 and 2 produce  $q_1$  and  $q_2$  units of the commodity respectively, the inverse demand function is given by:
 
$$P(Q) = 120 - Q, Q = q_1 + q_2$$
- Strategy space is  $S_i = [0, +\infty)$

**Cournot Competition (CARRIAGES SIMULTANEE)**

- We will apply the concept of pure Nash equilibrium to analyze oligopoly markets
- Suppose that there are two firms that produce the same product have zero marginal cost of production.
- If firm 1 and 2 produce  $q_1$  and  $q_2$  units of the commodity respectively, the inverse demand function is given by:
 
$$P(Q) = 120 - Q, Q = q_1 + q_2$$
- Strategy space is  $S_i = [0, +\infty)$
- The utility function of player  $i$  is given by:
 
$$\pi_1(q_1, q_2) = (120 - (q_1 + q_2))q_1$$

$$\pi_2(q_1, q_2) = (120 - (q_1 + q_2))q_2$$

**Cournot Competition**

- Are there any strictly dominant strategies?

**Cournot Competition**

- Are there any strictly dominant strategies?

**Cournot Competition**

- Are there any strictly dominant strategies? The answer is no, why?
- Are there any strictly dominated strategies?

**Cournot Competition**

- Are there any strictly dominant strategies? The answer is no, why?
- Are there any strictly dominated strategies?
- The strategies  $q_i \in (120, +\infty)$  are strictly dominated by the strategy 0

**Cournot Competition**

- Are there any strictly dominant strategies? The answer is no, why?
- Are there any strictly dominated strategies?
- The strategies  $q_i \in (120, +\infty)$  are strictly dominated by the strategy 0
- Are there any others? given  $q_{-i}$ ,
 
$$\frac{d\pi_i}{dq_i}(120 - q_i - q_{-i})q_i = 120 - 2q_i - q_{-i}$$

**Cournot Competition**


- Are there any strictly dominant strategies? The answer is no, why?
- Are there any strictly dominated strategies?
- The strategies  $q_i \in (120, +\infty)$  are strictly dominated by the strategy 0
- Are there any others? given  $q_{-i}$ ,
 
$$\frac{d\pi_i}{dq_i}(120 - q_i - q_{-i})q_i = 120 - 2q_i - q_{-i}$$
- Therefore 60 strictly dominates any  $q_i \in (60, 120]$

**Cournot Competition**

- $$BR(q_{-i}) = \frac{120 - q_{-i}}{2}$$

**Cournot Competition**

- $$BR(q_{-i}) = \frac{120 - q_{-i}}{2}$$
- for any  $q_i \in [0, 60]$ , there exists some  $q_{-i} \in [0, +\infty)$  such that  $BR(q_{-i}) = q_i$



EN Eq. Nash:

$$\frac{120 - q_2}{2} = q_1 \rightarrow 120 - q_2 - 2q_1 = 0$$

$$\frac{120 - q_1}{2} = q_2 \rightarrow 120 - q_1 - 2q_2 = 0$$

$$\frac{120 - q_1 - 2q_2}{2} = q_2 \rightarrow 120 - q_1 - 2q_2 = 2q_2$$

$$-2q_2 + 2q_2 + 4q_2 = 0$$

$$-120 + 3q_2 = 0$$

$$q_2^* = 40$$

$$q_1^* = 40$$

Cournot Competition

- ▶  $BR(q_{-i}) = \frac{120 - q_{-i}}{2}$
- ▶ for any  $q_i \in [0, 60]$ , there exists some  $q_{-i} \in [0, +\infty)$  such that  $BR(q_{-i}) = q_i$
- ▶ Such a  $q_i$  can never be strictly dominated

Cournot Competition

- ▶  $BR(q_{-i}) = \frac{120 - q_{-i}}{2}$
- ▶ for any  $q_i \in [0, 60]$ , there exists some  $q_{-i} \in [0, +\infty)$  such that  $BR(q_{-i}) = q_i$
- ▶ Such a  $q_i$  can never be strictly dominated
- ▶ After one round of deletion of strictly dominated strategies, we are left with:  $S_1 = [0, 60]$

Cournot Competition

- ▶  $BR(q_{-i}) = \frac{120 - q_{-i}}{2}$

Cournot Competition

- ▶  $BR(q_{-i}) = \frac{120 - q_{-i}}{2}$
- ▶  $q_{-i} = [0, 60]$

Cournot Competition

- ▶  $BR(q_{-i}) = \frac{120 - q_{-i}}{2}$
- ▶  $q_{-i} = [0, 60]$
- ▶ Therefore  $q_i \in [0, 30]$  are strictly dominated by  $q_i = 30$

Cournot Competition

- ▶  $BR(q_{-i}) = \frac{120 - q_{-i}}{2}$
- ▶  $q_{-i} = [0, 60]$
- ▶ Therefore  $q_i \in [0, 30]$  are strictly dominated by  $q_i = 30$
- ▶ After two rounds of deletion of strictly dominated strategies, we are left with:  $S_2 = [30, 60]$

Cournot Competition

- ▶  $BR(q_{-i}) = \frac{120 - q_{-i}}{2}$
- ▶  $q_{-i} = [30, 60]$
- ▶ 45 strictly dominates all strategies  $q_i \in (45, 60]$
- ▶ After three rounds of deletion of strictly dominated strategies, we are left with:  $S_3 = [30, 45]$

Cournot Competition

- ▶  $BR(q_{-i}) = \frac{120 - q_{-i}}{2}$
- ▶  $q_{-i} = [30, 45]$
- ▶ 37.5 strictly dominates all strategies  $q_i \in [30, 37.5]$
- ▶ After four rounds of deletion of strictly dominated strategies, we are left with:  $S_4 = [37.5, 45]$

Cournot Competition

- ▶ After (infinitely) many iterations, the only remaining strategies are  $S_5 = 40$
- ▶ The unique solution by IISDS is  $q_i^* = q_j^* = 40$ .

Cournot Competition

- ▶ There will also be a unique Nash equilibrium

Cournot Competition

- There will also be a unique Nash equilibrium
- $$BR_i(q_{-i}) = \frac{120 - q_{-i}}{2}$$

Cournot Competition

- There will also be a unique Nash equilibrium
- $$BR_i(q_{-i}) = \frac{120 - q_{-i}}{2}$$
- At any Nash equilibrium, we must have:  $q_1^* \in BR_1(q_2^*)$  and  $q_2^* \in BR_2(q_1^*)$ .

Cournot Competition

- There will also be a unique Nash equilibrium
- $$BR_i(q_{-i}) = \frac{120 - q_{-i}}{2}$$
- At any Nash equilibrium, we must have:  $q_1^* \in BR_1(q_2^*)$  and  $q_2^* \in BR_2(q_1^*)$ .
- $$q_1^* = \frac{120 - q_2^*}{2}, q_2^* = \frac{120 - q_1^*}{2}$$

Cournot Competition

- There will also be a unique Nash equilibrium
- $$BR_i(q_{-i}) = \frac{120 - q_{-i}}{2}$$
- At any Nash equilibrium, we must have:  $q_1^* \in BR_1(q_2^*)$  and  $q_2^* \in BR_2(q_1^*)$ .
- $$q_1^* = \frac{120 - q_2^*}{2}, q_2^* = \frac{120 - q_1^*}{2}$$
- We can solve for  $q_1^*$  and  $q_2^*$  to obtain:
 
$$q_1^* = 40, q_2^* = 40, Q^* = 80, P^* = 60, \Pi^* = 3600$$

Handwritten notes:

$$\Pi^* = (120 - Q)Q$$

$$\frac{\partial \Pi^*}{\partial Q} = 120 - 2Q = 0$$

$$Q^* = 60$$

Cournot Competition vs Monopoly (cartel)

- In a perfectly competitive market, price equals marginal cost and the total quantity produced will be  $Q = 120$ .

Cournot Competition vs Monopoly (cartel)

- In a perfectly competitive market, price equals marginal cost and the total quantity produced will be  $Q = 120$ .
- A monopolist would solve the following maximization problem:
 
$$\max_Q (120 - Q)Q \Rightarrow Q^* = 60, P^* = 60, \Pi^* = 3600$$

Cournot Competition vs Monopoly (cartel)

- In a perfectly competitive market, price equals marginal cost and the total quantity produced will be  $Q = 120$ .
- A monopolist would solve the following maximization problem:
 
$$\max_Q (120 - Q)Q \Rightarrow Q^* = 60, P^* = 60, \Pi^* = 3600$$
- The profits to each firm in the Cournot Competition is less than half of the monopoly profits.

Cournot Competition vs Monopoly (cartel)

- In a perfectly competitive market, price equals marginal cost and the total quantity produced will be  $Q = 120$ .
- A monopolist would solve the following maximization problem:
 
$$\max_Q (120 - Q)Q \Rightarrow Q^* = 60, P^* = 60, \Pi^* = 3600$$
- The profits to each firm in the Cournot Competition is less than half of the monopoly profits.
- In a duopoly, externalities are imposed on the other firm.

Lecture 12: Game Theory // Nash equilibrium

- Dominance
- Weakly dominated strategies
- Nash equilibrium
- Some examples
- Relationship to dominance
- Examples
  - Cournot Competition
  - Cartels

Cartels

- Suppose there are three firms who face zero marginal cost
- The inverse demand function is given by:
 
$$p(q_1 + q_2 + q_3) = 1 - q_1 - q_2 - q_3 = 1 - Q$$

Cartels

- Suppose there are three firms who face zero marginal cost
- The inverse demand function is given by:
 
$$p(q_1 + q_2 + q_3) = 1 - q_1 - q_2 - q_3 = 1 - Q$$
- The first order condition gives
 
$$1 - 2q_i - Q_{-i} = 0 \implies q_i = \frac{1 - Q_{-i}}{2} \implies BR_i(Q_{-i}) = \frac{1 - Q_{-i}}{2}$$

Cartels

- Suppose there are three firms who face zero marginal cost
- The inverse demand function is given by:
 
$$p(q_1 + q_2 + q_3) = 1 - q_1 - q_2 - q_3 = 1 - Q$$
- The first order condition gives
 
$$1 - 2q_i - Q_{-i} = 0 \implies q_i = \frac{1 - Q_{-i}}{2} \implies BR_i(Q_{-i}) = \frac{1 - Q_{-i}}{2}$$
- In a Nash equilibrium we must have:
 
$$q_1^* = \frac{1 - q_2^* - q_3^*}{2}$$

$$q_2^* = \frac{1 - q_1^* - q_3^*}{2}$$

$$q_3^* = \frac{1 - q_1^* - q_2^*}{2}$$

Cartels

- The easiest way to solve this first, let us add the three equations to get:
 
$$Q^* = \frac{3}{2} - Q^* \implies Q^* = \frac{3}{4}$$

Cartels

- The easiest way to solve this first, let us add the three equations to get:
 
$$Q^* = \frac{3}{2} - Q^* \implies Q^* = \frac{3}{4}$$
- Note that
 
$$q_i^* = \frac{1}{2} - \frac{q_j^* - q_k^*}{2} \implies \frac{q_i^*}{2} = \frac{1}{2} - \frac{Q^*}{2} \implies q_i^* = \frac{1}{4}$$

Cartels

- The easiest way to solve this first, let us add the three equations to get:
 
$$Q^* = \frac{3}{2} - Q^* \implies Q^* = \frac{3}{4}$$
- Note that
 
$$q_i^* = \frac{1}{2} - \frac{q_j^* - q_k^*}{2} \implies \frac{q_i^*}{2} = \frac{1}{2} - \frac{Q^*}{2} \implies q_i^* = \frac{1}{4}$$
- $q_1^* = q_2^* = q_3^* = \frac{1}{4}$

Cartels

- The easiest way to solve this first, let us add the three equations to get:
 
$$Q^* = \frac{3}{2} - Q^* \implies Q^* = \frac{3}{4}$$
- Note that
 
$$q_i^* = \frac{1}{2} - \frac{q_j^* - q_k^*}{2} \implies \frac{q_i^*}{2} = \frac{1}{2} - \frac{Q^*}{2} \implies q_i^* = \frac{1}{4}$$
- $q_1^* = q_2^* = q_3^* = \frac{1}{4}$
- Price is  $p^* = 1/4$  and all firms get the same profits of  $1/16$

Cartels

- Two of the firms merge into firm A, while one of the firms remains single, call that firm B

Cartels

- Two of the firms merge into firm A, while one of the firms remains single, call that firm B
- Each firm then again faces the profit maximization problem:
 
$$\max_q (1 - q_A - q_B)q \implies BR_i(q_{-i}) = \frac{1 - q_{-i}}{2}$$

Cartels

- Two of the firms merge into firm A, while one of the firms remains single, call that firm B
- Each firm then again faces the profit maximization problem:
 
$$\max_q (1 - q_A - q_B)q \implies BR_i(q_{-i}) = \frac{1 - q_{-i}}{2}$$
- Therefore
 
$$q_A^* = \frac{1 - q_B^*}{2}$$

$$q_B^* = \frac{1 - q_A^*}{2}$$

Cartels

- Solving this:
 
$$q_A^* = q_B^* = \frac{1}{3}$$

Cartels

- ▶ Solving this:  $q_1^c = q_2^c = \frac{1}{3}$
- ▶ The price is then  $p^* = 1/3$

Cartels

- ▶ Solving this:  $q_1^c = q_2^c = \frac{1}{3}$
- ▶ The price is then  $p^* = 1/3$
- ▶ If the profits are shared equally among firms 1 and 2 who have merged, then profits of firms 1 and 2 are  $1/18$  whereas firm 3 obtains a profit of  $1/9$

Cartels

- ▶ Solving this:  $q_1^c = q_2^c = \frac{1}{3}$
- ▶ The price is then  $p^* = 1/3$
- ▶ If the profits are shared equally among firms 1 and 2 who have merged, then profits of firms 1 and 2 are  $1/18$  whereas firm 3 obtains a profit of  $1/9$
- ▶ Firms 1 and 2 suffered, while firm 3 is better off!

Cartels

- ▶ Solving this:  $q_1^c = q_2^c = \frac{1}{3}$
- ▶ The price is then  $p^* = 1/3$
- ▶ If the profits are shared equally among firms 1 and 2 who have merged, then profits of firms 1 and 2 are  $1/18$  whereas firm 3 obtains a profit of  $1/9$
- ▶ Firms 1 and 2 suffered, while firm 3 is better off!
- ▶ Firm 3 is obtaining a disproportionate share of the joint profits (more than  $1/3$ )

Cartels

- ▶ You might expect that 3 may want to join the cartel as well...

Cartels

- ▶ You might expect that 3 may want to join the cartel as well...
- ▶ In the monopolist problem, we solve:  $mq(1-Q)Q \Rightarrow Q^* = \frac{1}{2}$

Cartels

- ▶ You might expect that 3 may want to join the cartel as well...
- ▶ In the monopolist problem, we solve:  $mq(1-Q)Q \Rightarrow Q^* = \frac{1}{2}$
- ▶ Total profits then are given by  $\frac{1}{4}$  which means that each firm obtains a profit of  $\frac{1}{8} < \frac{1}{9}$

Cartels

- ▶ You might expect that 3 may want to join the cartel as well...
- ▶ In the monopolist problem, we solve:  $mq(1-Q)Q \Rightarrow Q^* = \frac{1}{2}$
- ▶ Total profits then are given by  $\frac{1}{4}$  which means that each firm obtains a profit of  $\frac{1}{8} < \frac{1}{9}$
- ▶ Firm 3 clearly wants to stay out

Cartels

There are many difficulties associated with sustaining collusive agreements (e.g., the OPEC cartel)